

ACCESSORIES PLAN

Standard Accessories - Optional Accessories



ATTENTION



On order specify: type of machine, serial number, item code and quantity.

A la commande: bien préciser le type de la machine, le n° de serie, la reference de pièce, la quantité.

Bei Auftragserteilung anzugeben: Maschinentype, Seriennummer, Artikel-Code, Menge.




All'ordine specificare: tipo macchina e matricola, codice e quantità del particolare.

En cada pedido hay que especificar: el tipo de máquina y su número de matrícula, el número de código de la pieza requerida y su cantidad.









Na encomenda especificar: tipo da máquina e número de série, código do item e quantidade.

Notice: The information contained in this document is subject to change without notice

STANDARD - Accessories

	<p>4031295</p> <p>EAA0358G85A</p>	<p>WDK BEAD CLAMP</p>	<p>To facilitate mounting of the upper bead, especially on low profile and stiff tires.</p>
	<p>EAA0440G53A</p> <p>EAA0440G53A</p>	<p>SPACER FOR BEAD BREAKER 70mm</p>	<p>Stop the bead breaker blade at a convenient distance from the pad avoiding damage to run-flat tyres - spare part -</p>
	<p>EAA0440G52A</p> <p>EAA0440G52A</p>	<p>SPACER FOR BEAD BREAKER 50mm</p>	<p>Stop the bead breaker blade at a convenient distance from the pad avoiding damage to run-flat tyres - spare part -</p>
	<p>EAA0440G51A</p> <p>EAA0440G51A</p>	<p>SPACER FOR BEAD BREAKER 20mm</p>	<p>Stop the bead breaker blade at a convenient distance from the pad avoiding damage to run-flat tyres - spare part -</p>
	<p>EAA0377G23A</p> <p>EAA0377G23A</p>	<p>SMART BEAD SPACER</p>	<p>Holds the bead in 6 positions in the drop center during tire mounting operation. To be used in conjunction with the pneumatic bead assist.</p>
	<p>EAA0481G34A</p> <p>EAA0481G34A</p>	<p>SHORT RIM PROTECTOR WITH TOOL STOPPER</p>	<p>Mounting stopper Set of 3</p>
	<p>EAK0330G57A</p> <p>EAK0330G57A</p>	<p>POWERMONT™ UPPER TOOL PROTECTOR KIT</p>	<p>Set of 10 EAC0102G43A for tyre changers manufactured before March 25 2019</p>

STANDARD - Accessories

	EAK0341G32A EAK0341G32A	POWERMONT™ UPPER TOOL PROTECTOR KIT	Set of 10 EAC0126G25A for tyre changers manufactured from March 25 2019
	EAK0330G58A EAK0330G58A	POWERMONT™ LOWER TOOL PROTECTOR KIT	Set of 10 EAM0068G23A
	EAA0481G31A EAA0481G31A	PLASTIC TYRE PROTECTOR, CLIP-ON TYPE	To protect run-flat tyres when mounted onto steel rims Set of 3
	EAA0393G08A EAA0393G08A	MH TRACTOR KIT	Tractor kit for bead depressor of PBD330, easymont pro and MH 320 pro
	EAK0317G32A EAK0317G32A	CONE KIT 42-85 mm	For manual or quickLOK™ centre post TC consisting of 1 steel cone EAM0117G47A to centre steel / alloy wheels before clamping and 3 plastic prot
	1419 EAA0304G16A	BRUSH	For tire lubrication
	EAA0378G36A EAA0378G36A	BEAD EXTRACTION TOOL	Plastic lever to be used between the edge of the rim and the internal part of the upper bead
	26582 EAA0304G15A	BEAD BREAKER BLADE PROTECTOR	Plastic protection for bead breaker blade.



STANDARD - Accessories







4025460
EAA0349G76A

5 KG LUBE
BUCKET HOLDER









Ring to accommodate 5 kg
lube bucket



OPTIONAL - Accessories

	EAC0125G10A EAC0125G10A	TYRE BEAD HOLDER	Universal tool to hold the bead in the rim's drop center while mounting the tyre
	EAA0481G79A EAA0481G79A	TOOL STORAGE AND ACCESSORY REPOSITORY	Accessory's panel Pegs for centering cones, Shaft's housing, Holders for lube's bucket and soap's bottle.
	EAA0410G89A EAA0410G89A	THREADED SHAFT ASSY	For 4030515 (closed centre rims kit) when it is used on quickLOK™ clamping system
	EAM0146G66 EAM0146G66	SPECIAL RUBBER CONE	For manual or quickLOK™ centre post TC (polyamide), ideal for alloy rims e.g. of Porsche and Audi.
	EAA0377G15A EAA0377G15A	SPACER KIT	For all centre post tyre changers. To lock special rims with a projecting profile centring ring. The spacer guarantees a secure conta
	EAA0393G04A EAA0393G04A	SMART BEAD SPACER - LOW PROFILE	Holds the bead in 6 positions in the drop center during tire mounting operation. To be used in conjunction with the pneumatic bead assist - B
	EAA0363G30A EAA0363G30A	SET OF SPHERICAL HEAD BOLTS	Head dia. 28 mm Special bolt for Audi Q5 + Q7 Set of 5 For closed-centre rim kits EAA0410G88A + 4030515

OPTIONAL - Accessories

	EAA0363G40A EAA0363G40A	SET OF SPHERICAL HEAD BOLTS	Head dia. 28 mm Special bolt for Audi A7 + A8 Set of 5 For closed-centre rim kits EAA0410G88A + 4030515
	EAA0384G83A EAA0384G83A	SET OF BOLTS - LAND ROVER DEFENDER	Tapered vertex diameter = 36 mm Overall length = 100 mm Set of 5 bolts w/ tapered vertex For reverse-mounted wheel
	EAA0364G48A EAA0364G48A	SET OF BOLTS	Length = 110 mm Set of 5 bolts w/ cylindrical vertex Set of 5 bolts w/ tapered vertex For reverse-mounted wheel
	EAA0440G50A EAA0440G50A	SET OF BOLTS	Cylindrical vertex diameter = 19 mm Overall length = 110 mm Set of 5 bolts w/ cylindrical vertex For reverse-mounted wheel
	4031245 EAA0358G58A	REVERSE- MOUNTED WHEEL KIT	To clamp reverse mounted wheels on center post clamping system 5 cylindrical vertex pins of 24 mm diameter 5 conical vertex pins of 24
	EAA0408G33A EAA0408G33A	PLASTIC TYRE PROTECTOR	Clip-on type, to protect run- flat tyres when mounted onto steel rims, 1 off It replaces the previous P/N EAA0332G38A.
	4026853 EAA0304G52A	PLASTIC RIM PROTECTIONS	Clip-on type, to protect rim from scratches, set of 3.
	EAK0317G33A EAK0317G33A	PLASTIC PROTECTORS 85 mm	Cone dia. 85 mm and EAK0317G32A cone kit 42- 85 mm The kit contains 10 protectors

OPTIONAL - Accessories

	EAA0393G89A EAA0393G89A	MOUNTING TOOL	Stand-alone mounting tool to facilitate the operation with run-flat tyres For use on quadriga TC. On semi-automatic centre-post TC only in conjunction
	EAK0330G20A EAK0330G20A	MB CLAMPING KIT	Consisting of: - 1 x EAM0091G90A Fixed flange for MB studs -112/120MM - 1 x EAM0091G91A Reduction cone to be used
	EAK0317G96A EAK0317G96A	MAGNETIC TOOL SUPPORT	Flexible solution to position the small tools in the most comfortable place possible Maximum weight allowed: 2kg.
	4030486 EAA0349G06A	LIGHT-TRUCK WHEEL KIT	To clamp pick-up & light-truck wheels on center post clamping system. Single side cone 135-175 mm.
	EAA0377G29A EAA0377G29A	LATERAL WHEEL LIFT	Capacity 70 kg Option for monty 8600 / Centaur Advanced and Gold models, monty 8700 / T7700 series and 8800b, 8800s, 88800g / T7800b, T
	EAK0317G95A EAK0317G95A	HOLDER FOR TYRE LUBRICANT BUCKET (MAGN.)	Flexible solution to position the bucket in the most comfortable place possible
	EAA0426G34A EAA0426G34A	CONNECTOR FOR MOUNTING TOOL	Connector to make EAA0393G89A mounting tool compatible with clamping shafts of semi-automatic centre-post TC.
	EAK0317G76A EAK0317G76A	CONE KIT 75 mm	For manual or quickLOK™ centre post tyre changers Centring cones, 75 mm diameter, for wheel clamping, consisting of 5 plastic cones

OPTIONAL - Accessories

	EAK0317G75A EAK0317G75A	CONE KIT 64 mm	For manual or quickLOK™ centre post tyre changers Centring cones, 64 mm diameter, for wheel clamping, consisting of 5 plastic cones
	EAK0317G78A EAK0317G78A	CONE KIT 145 mm	For manual or quickLOK™ centre post tyre changers Centring cones, 145 mm diameter, for wheel clamping, consisting of 5 plastic cones
	EAK0317G77A EAK0317G77A	CONE KIT 126 mm	For manual or quickLOK™ centre post tyre changers Centring cones, 126 mm diameter, for wheel clamping, consisting of 5 plastic cones
	EAA0410G88A EAA0410G88A	CLOSED-CENTRE RIM KIT	To clamp closed centre rims on quickLOK™ clamping system (compact clamping device included)
	EAA0392G80A EAA0392G80A	BMW CLAMPING KIT	For standard and reverse mounted wheels, consisting of: Cylindrical vertex pin L.110mm. Tapered vertex pin L.110mm
	4003444 EAA0247G70A	BEAD DEPRESSING TOOL MX	To facilitate mounting of the upper bead, especially on low profile and stiff tires
	19180 EAK0257G98A	5 KG LUBRICANT FOR TIRES	5 kg lubricant for tires
	20651 EAK0257G42A	1 KG LUBRICANT FOR TIRES	1 kg lubricant for tires

