

ACCESSORIES PLAN

Standard Accessories - Optional Accessories



ATTENTION



On order specify: type of machine, serial number, item code and quantity.

A la commande: bien préciser le type de la machine, le n° de serie, la reference de pièce, la quantité.

Bei Auftragserteilung anzugeben: Maschinentype, Seriennummer, Artikel-Code, Menge.








All'ordine specificare: tipo macchina e matricola, codice e quantità del particolare.

En cada pedido hay que especificar: el tipo de máquina y su número de matrícula, el número de código de la pieza requerida y su cantidad.



Na encomenda especificar: tipo da máquina e número de série, código do item e quantidade.

Notice: The information contained in this document is subject to change without notice



STANDARD - Accessories

	<p>4031295 EAA0358G85A</p>	<p>WDK BEAD CLAMP</p>	<p>To facilitate mounting of the upper bead, especially on low profile and stiff tires.</p>
	<p>EAC0094G09A EAC0094G09A</p>	<p>TURNTABLE PLASTIC GUARD</p>	<p>218 mm D. protection</p>
	<p>EAA0377G23A EAA0377G23A</p>	<p>SMART BEAD SPACER</p>	<p>Holds the bead in 6 positions in the drop center during tire mounting operation. To be used in conjunction with the pneumatic bead assist.</p>
	<p>EAA0408G33A EAA0408G33A</p>	<p>PLASTIC TYRE PROTECTOR</p>	<p>Clip-on type, to protect run-flat tyres when mounted onto steel rims, 1 off It replaces the previous P/N EAA0332G38A.</p>
	<p>4026853 EAA0304G52A</p>	<p>PLASTIC RIM PROTECTIONS</p>	<p>Clip-on type, to protect rim from scratches, set of 3.</p>
	<p>4031148 EAA0358G47A</p>	<p>KIT TOOL PROTECTIONS</p>	<p>4 Sets of plastic protections for tools. Screws included</p>
	<p>1419 EAA0304G16A</p>	<p>BRUSH</p>	<p>For tire lubrication</p>











STANDARD - Accessories			
	<p>EAC0102G28A</p> <p>EAC0102G28A</p>	<p>BEAD PRESS TOOL</p>	<p>For centre post tyre changer with automatic tool</p>
	<p>4025460</p> <p>EAA0349G76A</p>	<p>5 KG LUBE BUCKET HOLDER</p>	<p>Ring to accommodate 5 kg lube bucket</p>

OPTIONAL - Accessories

	H1977254 EAA0393G81A	TYRE BOOSTER	With lockable release valve, 19 l air tank, pressure-relief valve, inflation up to 10 bar maximum, for car and light-truck tubeless wheels.
	EAC0125G10A EAC0125G10A	TYRE BEAD HOLDER	Universal tool to hold the bead in the rim's drop center while mounting the tyre
	EAM0079G58 EAM0079G58	SUPPORTING RING	For improved clamping of steel rims with centre bore diameter 40 - 59 mm on quadriga TC
	EAM0091G24 EAM0091G24	SPECIAL RUBBER CONE	for Quadriga TC (polyamide), ideal for alloy rims e.g. of Porsche and Audi; standard equipment of BMW quadriga
	EAA0377G15A EAA0377G15A	SPACER KIT	For all centre post tyre changers. To lock special rims with a projecting profile centring ring. The spacer guarantees a secure conta
	EAA0393G04A EAA0393G04A	SMART BEAD SPACER - LOW PROFILE	Holds the bead in 6 positions in the drop center during tire mounting operation. To be used in conjunction with the pneumatic bead assist - B
	EAA0363G30A EAA0363G30A	SET OF SPHERICAL HEAD BOLTS	Head dia. 28 mm Special bolt for Audi Q5 + Q7 Set of 5 For closed-centre rim kits EAA0410G88A + 4030515





OPTIONAL - Accessories

	EAA0363G40A EAA0363G40A	SET OF SPHERICAL HEAD BOLTS	Head dia. 28 mm Special bolt for Audi A7 + A8 Set of 5 For closed-centre rim kits EAA0410G88A + 4030515
	EAA0384G83A EAA0384G83A	SET OF BOLTS - LAND ROVER DEFENDER	Tapered vertex diameter = 36 mm Overall length = 100 mm Set of 5 bolts w/ tapered vertex For reverse-mounted wheel
	EAA0364G48A EAA0364G48A	SET OF BOLTS	Length = 110 mm Set of 5 bolts w/ cylindrical vertex Set of 5 bolts w/ tapered vertex For reverse-mounted wheel
	EAA0440G50A EAA0440G50A	SET OF BOLTS	Cylindrical vertex diameter = 19 mm Overall length = 110 mm Set of 5 bolts w/ cylindrical vertex For reverse-mounted wheel
	4031040 EAA0351G60A	REVERSE- MOUNTED WHEEL KIT	To clamp reverse mounted wheels on Quadriga clamping system 5 cylindrical vertex pins of 24 mm diameter 5 conical vertex pins of 24
	EAA0481G31A EAA0481G31A	PLASTIC TYRE PROTECTOR, CLIP-ON TYPE	To protect run-flat tyres when mounted onto steel rims Set of 3
	EAK0317G33A EAK0317G33A	PLASTIC PROTECTORS 85 mm	Cone dia. 85 mm and EAK0317G32A cone kit 42- 85 mm The kit contains 10 protectors
	EAK0317G74A EAK0317G74A	PLASTIC PROTECTORS 145 mm	For quadriga TC, cone dia. 145 mm The kit contains 10 protectors

OPTIONAL - Accessories

	EAK0317G73A EAK0317G73A	PLASTIC PROTECTORS 120 mm	For quadriga TC, cone dia. 120 mm The kit contains 10 protectors
	EAA0393G89A EAA0393G89A	MOUNTING TOOL	Stand-alone mounting tool to facilitate the operation with run-flat tyres For use on quadriga TC. On semi-automatic centre- post TC only in conjunction
	EAA0393G08A EAA0393G08A	MH TRACTOR KIT	Tractor kit for bead depressor of PBD330, easymont pro and MH 320 pro
	EAK0330G20A EAK0330G20A	MB CLAMPING KIT	Consisting of: - 1 x EAM0091G90A Fixed flange for MB studs -112/120MM - 1 x EAM0091G91A Reduction cone to be used
	EAK0317G96A EAK0317G96A	MAGNETIC TOOL SUPPORT	Flexible solution to position the small tools in the most comfortable place possible Maximum weight allowed: 2kg.
	4031033 EAA0351G29A	LIGHT-TRUCK WHEEL KIT	To clamp pick-up & light- truck wheels on Quadriga clamping system. Double- side cone 117-175 mm.
	EAK0317G95A EAK0317G95A	HOLDER FOR TYRE LUBRICANT BUCKET (MAGN.)	Flexible solution to position the bucket in the most comfortable place possible
	4026913 EAA0304G44A	EXTENSION FOR RIM DEPRESSOR	A helping device, needed when pressing down the reversed rim during wheel clamping on turntable.

OPTIONAL - Accessories

	EAA0373G84A EAA0373G84A	CONE KIT 42-85 mm	For quadriga TC, consisting of 1 steel cone EAM0082G10A to centre steel / alloy wheels before clamping and 5 plastic protectors EAC0102G27A
	4031036 EAA0350G16A	CLOSED- CENTRE RIM KIT	To clamp closed centre rims on Quadriga clamping system (compact clamping device included)
	EAA0392G80A EAA0392G80A	BMW CLAMPING KIT	For standard and reverse mounted wheels, consisting of: Cylindrical vertex pin L.110mm. Tapered vertex pin L.110m
	4003444 EAA0247G70A	BEAD DEPRESSING TOOL MX	To facilitate mounting of the upper bead, especially on low profile and stiff tires
	19180 EAK0257G98A	5 KG LUBRICANT FOR TIRES	5 kg lubricant for tires
	EAA0373G67A EAA0373G67A	130 mm CONIC AND CYLINDRIC STUDS KIT	To be used with BMW flange EAA0392G80A.
	20651 EAK0257G42A	1 KG LUBRICANT FOR TIRES	1 kg lubricant for tires

